



GE VH Series UPS

700 / 1000 / 1500 / 2000 / 3000 VA
Uninterruptible Power Supply

Description

GE's VH Series of UPS is a true VFI (Voltage & Frequency Independent) on-line double conversion, intelligent and high-performance UPS designed for all mission-critical applications. The UPS range is designed with a unique failsafe bypass providing maximum security and reliability for the user.

The VH Series range of UPS has been designed also for maximum site flexibility. With an attractively designed modern common tower and/or 19inch rackmountable design, the UPS can adapt as network configurations adapt.

Batteries are the core component of any UPS system. GE's unique Superior Battery Management system ensures that this core component is protected at all times at the highest level. When batteries need to be replaced, the procedure is easy, safe and can be performed without disconnecting the critical load. For communication, the VH Series is provided with USB and contact interface as standard; an easy to install option card is available with RS232, USB and relay. A web-enabled SNMP card is available as an option. Operation in remote or unmanned sites is simple to coordinate with the standard remote monitoring functionality.

Applications

- Mission-critical servers
- Telecommunication equipment
- Local area networks
- Internet servers
- Network components
- Process and telecom industry equipment

Features and benefits

- Voltage and frequency independent (VFI) double conversion technology eliminates power reliability problems
- Unique failsafe internal bypass for continued operation even in the event of UPS failure
- Tower and/or 2U rack design for all ratings; all support elements included
- Simple battery replacement without disruption to supported load
- Versatile communication with USB and contact interface, RS232, relays and SNMP
- Wide input voltage window minimising battery usage
- Excellent short circuit protection
- GE's unique Superior Battery Management enhancing battery performance and lifetime
- Easy plug-in connection of battery packs for extended run-time
- Remote monitoring and control for unmanned or isolated sites
- Can be used as a 50/60Hz frequency converter
- Phase neutral reversal protection
- High overload capability
- Precise output frequency regulation
- High efficiency



Maximum flexibility

Rack and/or tower format in a single cabinet

Technical specifications

Model	VH700	VH1000	VH1500	VH2000	VH3000
Rating (VA/W)	700 / 490	1000 / 700	1500 / 1050	2000 / 1400	3000 / 2100
Format	Tower / Rack				
Input voltage range (70% load)	130 - 280 V				
Input frequency range	45 - 66 Hz				
Backup time at 50% / 75% load (mins)	30/16	24/11	16/8	20/11	16/8
Output power factor	1 at standard load (70%)				
Output voltage	220 / 230 / 240 V +/- 2%, front selectable				
Output frequency	50 / 60 Hz, front selectable				
Number of IEC 320 outlets	2	4	4	6	6 & 1x16A
DC connector	✓				
Enclosure size	440 (19") x 87 (2U) x 472 mm			440 (19") x 87 (2U) x 547 mm	
Net weight incl. batteries (kg)	18.3	18.3	19.3	31.3	33.3
Warranty	Three years including battery				

Options	VH700	VH1000	VH1500	VH2000	VH3000
Additional battery packs		✓	✓	✓	✓
Manual service bypass	✓	✓	✓	✓	✓
Plug in relay card	✓	✓	✓	✓	✓
Plug in SNMP card	✓	✓	✓	✓	✓

Operating characteristics

Operating temperature	: 0 to 40°C
Relative humidity	: 95% non-condensing
Audible noise	: <45 db(A)

General design criteria

Safety	: EN 62040-1; IEC 60950
EMC	: EN 62040-2
Protection degree	: IP20

Communication interface

USB
RS 232
Open collector alarm contacts
SNMP



Specifications subject to change without prior notice

Austria

General Electric Austria GmbH
Technologiestraße 10
Euro Plaza, Gebäude E, 5. Stock
A-1120 Wien
Tel. +43 (0) 1 260 16 251

Belgium

GE Industrial Belgium,
Nieuwevaart 51
B-9000 Gent
Tel. +32 (0)9 265 21 11

Finland

GE Industrial Solutions
Kuortaneenkatu 2
FI-00510 Helsinki
Tel. +358 (0)800 915 484

France

GE Industrial Solutions
Paris Nord 2
13, rue de la Perdrix
F-95958 Roissy CDG Cédex
Tel. +33 (0)800 912 816

Germany

GE Consumer & Industrial GmbH
Robert-Bosch Str. 3
D-50354 Hürth-Effern
Tel. +49 (0) 2233/ 9719-0

GE IMV Deutschland GmbH
Tungendorfer Str. 10
D-24536 Neumünster
Tel. +49 (0) 4321 - 201 700

Hungary

GE Hungary Kft.
Váci ut 81-83.
H-1139 Budapest
Tel. +36 (0)1 447 6050

Italy

GE Industrial Solutions
Centro Direzionale Colleoni
Via Paracelso 16
Palazzo Andromeda B1
I-20864 Agrate Brianza (MB)
Tel. +39 (0)39 637 371

Netherlands

GE Industrial Solutions
Parallelweg 10
NL-7482 CA Haaksbergen
Tel. +31 (0)53 573 03 03

GE IMV Nederland BV
De Wel 18
NL-3871 MV Hoevelaken
Tel. +31 (0)33 254 12 80

Poland

GE Power Controls
Ul. Odrowaza 15
PL-03-310 Warszawa
Tel. +48 (0)22 519 76 00

Ul. Leszczyńska 6
PL-43-300 Bielsko-Biała
Tel. +48 (0)33 828 62 33

GE Industrial Solutions
Budynek BPH, 1 piętro
Ul. Towarowa 25a
PL-00-869 Warszawa
Tel. +48 (0)22 520 53 53

Russia

GE Industrial Solutions
27/8, Elektrozavodskaya street
Moscow, 107023
Tel. +7 (0)495 937 11 11
E-mail: info-ups.ru@ge.com

South Africa

GE Industrial Solutions
Unit 4, 130 Gazelle Avenue
Corporate Park Midrand 1685
P.O. Box 76672 Wendywood 2144
Tel. +27 (0)11 238 3000

Spain

GE POWER CONTROLS IBÉRICA, S.L.
Calle Miño 122 Naves E-F
Polígono Industrial Santa Margarita
S-08223 Terrassa (Barcelona)
Tel. +34 (0)900 993 625

Calle Gobelos 35-37
S-28023 Madrid
Tel. +34 (0)91 7336000

Switzerland

GE Consumer & Industrial SA
Via Cantonale 50
CH-6595 Riazino (Locarno)
Tel. +41 (0)91 850 51 51

Ukraine

GE Ukraine
42/44 Shovkovychna str.
Horizon Tower, 8th Floor
01601, Kyiv
Tel. +380 (0)44 490 69 84
E-mail: info-ups.ua@ge.com

United Arab Emirates

GE Industrial Solutions
Injaz Building, 3rd Floor
Dubai Internet City
PO Box 11549, Dubai
Tel. +971 (0)4 4546912

United Kingdom

GE Industrial Solutions
2 The Arena, Downshire Way
Brocknell, Berkshire
RG12 1PU
Tel. +44 (0)800 587 1239

3 Oakland Road
Leicester, LE2 6AN
Tel. +44 (0) 116 274 6205
Fax +44 (0) 116 274 6201
E-mail: sales-ups.uk@ge.com



uk.geindustrial.com
gecriticalpower.com

English
GEA-D 1038 GB CE Rev. 12/15
1019316 / 151223

© 2015 General Electric Company and/or its affiliates. All rights reserved.
Trademarks are the property of their respective owners.